

参考文献

A. 筆者文献

- [1] M. Sasaki, "A Proposal for High-Efficiency Coding of the Definite Image Sequence", *PCSJ88*.
- [2] 笹木, "モデルベース顔領域抽出と領域別量子化による顔画質向上", 1997 年映像情報メディア学会年次大会 (ITE'97), p.381-382, 1997 年 7 月.
- [3] M.Sasaki, A.Toyoda, "3D Motion Estimation of a Moving Object using Model-Based Techniques", ITS95 pp.1075-1081, November 1995.
- [4] 笹木, 難波, 粉川, 小川, "車載情報通信におけるメディア適応化手法の提案 - 制約充足問題を用いた適応化手法の検討 - ", 信学技報 ITS2004-22, Vol.104 No.325, pp.35-42, 2004 年 9 月
- [5] N. Day, S. Sekiguchi and M. Sasaki, "21 Mobile Applications" in *Introduction to MPEG-7* edited by B. S. Manjunath et al., pp. 353-361, WILEY, 2002.
- [6] 笹木美樹男, 難波秀彰 : "ITSにおける知的情報支援とそれを支える視覚通信複合技術 - 知識共有型の環境認識をめざして - ", 2006 年度人工知能学会全国大会 (JSAC 2006) 1E2-2, 2006 年 6 月.
- [7] 笹木美樹男 : "統計的推論に基づく景観認識の検討", 情報処理学会研究報告, 2006 AVM-54-8 (2006).
- [8] 笹木美樹男 : "色情報と知識処理に基づく車載カメラ映像のインデキシング", デンソーソテクニカルレビュー Vol.12 No.1 2007, p.58-68.
- [9] Mikio Sasaki, Kenji Muto, Kunihiko Sasaki: "Estimation of Driving Safety from On-Board Captured Scene by using Probe Image Database", ITST2007, June 2007.
- [10] Mikio Sasaki, Hideaki Nanba: "Pedestrian Tracking by using MPEG-based Video Signal Processing", *IEICE Technical Report*, vol. 108, no. 344, IE2008-106, pp. 17-22, Dec. 2008.
- [11] Mikio Sasaki: "MPEG-based Scene Class Recognition", *IEICE Technical Report*, vol.109, no.148, IE2009-55, July 2009.
- [12] 笹木美樹男 : "MPEG 映像に適した景観認識手法の提案", 画像電子学会誌, vol.38, no.6, pp.890-899 (2009-11).
- [13] Mikio Sasaki: "MPEG-based Scene Class Recognition", http://homepage3.nifty.com/MikioSasaki/scene/090724_IEICE_SceneClass.pdf
- [14] M. Sasaki, "A System Which Forecasts the Spatio-Temporal Distribution of Pedestrians - On Feasibility Study - ", *IEICE Technical Report*, ITS2010-76, Mar. 2011.
- [15] Mikio Sasaki, Yoshihide Sekimoto, "On Risk Prediction Considering People Flow", *DENSO TECHNICAL REVIEW*, Vol.18, December 2013.
- [16] M. Sasaki, "THE ESTIMATED TRUTH WILL EVOLVE ON NEURO-ITS", *ITS World Congress 2014*, Detroit, Sep. 2014.

B. 画像符号化・映像メディア処理

- [1] "Information technology – Coding of moving pictures and associated audio for digital storage media at up to about 1,5 Mbit/s – Part 1: Systems", ISO/IEC11172-1 First edition 1993-08-01.
- [2] "Information technology – Coding of moving pictures and associated audio for digital storage media at up to about 1,5 Mbit/s – Part 2: Video", ISO/IEC11172-2 First edition.
- [3] 石川, 相澤, 羽鳥, "簡易モデルのあてはめによる 3 次元仮想空間の構築手法", 画像符号化・映像メディア処理シンポジウム (PCSJ・IMPS98) I-1.4, pp.9-10, Oct.26-28, 1998.
- [4] ISO/IEC 15938-3 Information technology – Multi-media Content Description Interface Part 3: Visual.
- [5] ISO/IEC 15938-5 Information technology -- Multimedia Content Description Interface Part 5: Multimedia Description Schemes.
- [6] B.S.Manjunath et al., "Introduction to MPEG-7", WILEY, 2002.
- [7] Youiti Horry, Ken-ich Anjyo and Kiyoshi Arai, "Tour into the picture", Proc. SIGGRAPH'97, Los Angeles, California, pp.225-232, August 3-8, 1997.
- [8] 岩崎敏紀, 横山貴紀, 渡辺俊典, 古賀久志, "MPEG ビデオデータの動きベクトルを用いた圧縮領域における移動物体の検出と追跡", 電子情報通信学会論文誌 D, Vol. J91-D, No. 6. (June 2008), pp. 1592-1603.

C. シーン理解, CBIR

- [1] Hoiem, A. A. Efros and M. Hebert, "Recovering Surface Layout from an Image", *International Journal of Computer Vision* 75(1), 151-172, 2007.
- [2] G. Poirier, P. Bouhoum, and J.-F. Yao: "Recognition of Dynamic Video Contents With Global Probabilistic Models of Visual Motion", *IEEE Trans. Image Process.*, vol. 15, no.11, pp.3417-3430, Nov. 2006.
- [3] "DIGITAL VIDEO RETRIEVAL at NIST - TREC Video Retrieval Evaluation", <http://www-nlpir.nist.gov/projects/trecvid/>
- [4] J. Vogel, B. Schiele, "Semantic Modeling of Natural Scenes for Content-Based Image Retrieval", *International Journal of Computer Vision* 72(2), 133-157, 2007.
- [5] Anna Bosch, Andrew Zisserman, and Xavier Munoz, "Scene Classification Using a Hybrid Generative/Discriminative Approach", *IEEE Trans. Pattern Analysis and Machine Intelligence (PAMI)*, vol.30, no.4, pp.712-727, Apr. 2008.
- [6] Joakim Jitén Söderberg: "Multidimensional Hidden Markov Model Applied to Image and Video Analysis", *A Thesis for the degree of DOCTOR OF PHILOSOPHY*, Institute Eurecom Sophia Antipolis, February 2007.
- [7] Jianbo Shi and Carlo Tomasi. Good features to track. In *IEEE Conference on Computer Vision and Pattern Recognition (CVPR)*, pages 593-600, 1994.
- [8] Ashutosh Saxena, Min Sun, and Andrew Y. Ng, "Make3D: Learning 3D Scene Structure from a Single Still Image", *IEEE Trans. Pattern Analysis and Machine Intelligence (PAMI)*, vol.31, no.5, pp.824-840, May 2009.
- [9] D. Hoiem, A. A. Efros and M. Hebert: "Recovering Surface Layout from an Image", *International Journal of Computer Vision* 75(1), 151-172, 2007.
- [10] "DIGITAL VIDEO RETRIEVAL at NIST - TREC Video Retrieval Evaluation", <http://www-nlpir.nist.gov/projects/trecvid/>
- [11] 浅田, 白井, "マルチセンサ情報を動的に統合することによる道路シーンの解釈とモデリング", 情報処理学会論文誌, Vol.31, No.12, pp.1743-1754 (Dec.1990) .
- [12] 杉山, 目黒, 金子, "少数の透視投影画像に基づいて生成された仮想空間における3次元移動表現", 信学技報 MVE 2001-148 (2002-3).
- [13] Vittorio Ferrari, Andrew Zisserman, "Learning Visual Attributes", <http://eprints.pascal-network.org/archive/00003146/01/ferrari07.pdf>
- [14] Bangpeng Yao, Gary Bradski, Li Fei-Fei, "A Codebook-Free and Annotation-Free Approach for Fine-Grained Image Categorization", http://ai.stanford.edu/~bangpeng/document/cvpr12_0654.pdf
- [15] M. Felsberg, F. Larsson, J. Wiklund, N. Wadström, and J. Ahlberg, "Online Learning of Correspondences between Images", *IEEE Trans. Pattern Analysis and Machine Intelligence (PAMI)*, vol.35, no.1, pp.118-129, Jan. 2013.
- [16] Thomas J. Cashman and Andrew W. Fitzgibbon, "What Shape Are Dolphins? Building 3D Morphable Models from 2D Images", *IEEE Trans. Pattern Analysis and Machine Intelligence (PAMI)*, vol.35, no.1, pp.232-244, Jan. 2013.
- [17] E. Ricci, G. Zen, N. Sebe, and S. Messelodi, "A Prototype Learning Framework Using EMD: Application to Complex Scenes Analysis", *IEEE Trans. Pattern Analysis and Machine Intelligence (PAMI)*, vol.35, no.3, pp.513-526, Mar. 2013.
- [18] 趙剛, 小林亜樹, 酒井善則, "適合画像の自動分類による多グループフィードバックを用いた対話型画像検索", 映像情報メディア学会誌 Vol.60, No.12, pp.1980-1990 (2006).
- [19] Jagannadan Varadarajan, Rémi Emonet and Jean-Marc Odobez, "Bridging the Past, Present and Future: Modeling Scene Activities From Event Relationships and Global Rules", *CVPR 2012*.
- [20] R. Emonet, J. Varadarajan, J.-M. Odobez, "Multi-camera Open Space Human Activity Discovery for Anomaly Detection", *IEEE Int. Conf. on AVSS*, Klagenfurt, 2011.

D. 因子分解法

- [1] 金出武雄, コンラッド・ポールマン, 森田俊彦, "因子分解法による物体形状とカメラ運動の復元", 電子情報通信学会論文誌 D-II, J74-D-II-8, pp. 1497-1505, Aug.1993.
- [2] J. P. Costeira, "A Multibody Factorization for Independently Moving Objects", *International Journal of Computer Vision* 29(3), 159-179(1998).
- [3] 藤木淳, "点対応を用いた複数の2次元画像からの3次元形状復元—因子分解法の数理—", 統計数理 (2001) 第 49 卷第 1 号 77-107.

E. 歩行者検出・トラッキング

- [1] Jianbo Shi and Carlo Tomasi. Good features to track. In *IEEE Conference on Computer Vision and Pattern Recognition (CVPR)*, pages 593–600, 1994.
- [2] P. Viola, M. J. Jones, “Robust Real-time Object Detection”, *Cambridge Research Laboratory Technical Report Series CRL2001/01, Feb. 2001*.
- [3] G. Antonini, “A discrete choice modeling framework for pedestrian walking behavior with application to human tracking in video sequences”, *Thèse EPFL*, no 3382 (2005).
- [4] http://www.gavrila.net/Research/Pedestrian_Detection/Pedestrian_Projects/SAVE-U_Final_Report.pdf
- [5] Xiang, Tao; Gong, Shaogang; “Beyond Tracking: Modeling Activity and Understanding Behaviour.”, *International Journal of Computer Vision*, Vol. 67, No. 1, April 2006 , pp. 21-51(31).
- [6] J.-M. Odobez, D. Gatica-Perez, and S. O. Ba, “Embedding Motion in Model-Based Stochastic Tracking”, *IEEE Trans. Image Processing*, vol.15, no.11, pp.3514-3530, Nov. 2006.
- [7] E. Arnaud, E. Mémin, “Partial Linear Gaussian Models for Tracking in Image Sequences +Using Sequential Monte Carlo Methods”, *International Journal of Computer Vision* 74(1), 75-102, 2007.
- [8] Bo Wu, Ram Nevatia, “Detection and Tracking of Multiple, Partially Occluded Humans by Bayesian Combination of Edgelet based Part Detectors”, *International Journal of Computer Vision Volume 75*, Issue 2(November 2007), 247 – 266.
- [9] M. Lyell, R. Flo, M. Mejia-Tellez, ”Simulation of Pedestrian Agent Crowds, with Crisis”, <http://necsi.org/events/iccs6/viewpaper.php?id=367>.
- [10] D. M. Gavrila, S. Munder, “Multi-cue Pedestrian Detection and Tracking from a Moving Vehicle”, *International Journal of Computer Vision* 73(1), 41-59, 2007.
- [11] J. Tilp, et al., “Pedestrian Protection based on Combined Sensor Systems”, Paper Number 05-0156, <http://www-nrd.nhtsa.dot.gov/pdf/nrd-01/esv/esv19/05-0156-O.pdf>
- [12] Ahmed Elgammal, Chan-Su Lee, “Tracking People on a Torus”, *IEEE Trans. Pattern Analysis and Machine Intelligence (PAMI)*, vol.31, no.3, pp.520-538, Mar. 2009.
- [13] Shuiwang Ji, Wei Xu, Ming Yang, and Kai Yu, ”3D Convolutional Neural Networks for Human Action Recognition”, *IEEE Trans. Pattern Analysis and Machine Intelligence (PAMI)*, vol.35, no.1, pp.221-231, Jan. 2013.
- [14] <http://www.ce.unipr.it/people/bertozzi/pap/cr/iv2005-vw.pdf>

F. 一般物体認識

- [1] 神谷保徳, 矢野良和, 大熊繁, 高橋友和, 井手一郎, 村瀬洋 : ”一般物体認識のためのタイプの異なる局所特徴の統合利用”, *信学論 D*, Vol. J92-D, No.5, pp628-638 (2009)
- [2] 三浦純, 森田英夫, ヒルドミヒヤエル, 白井良明 : ”SVM による物体と位置の視覚学習に基づく屋外移動ロボットの位置推定. 日本ロボット学会誌, 25(5), pp. 792-798, 2007.
- [3] Wan-Lei Zhao, Chong-Wah Ngo, “lip-vireo Manual Version 1.01”, <http://www.cs.cityu.edu.hk/~wzhao2/lip-vireo.htm>

G. 予測・推定・多変量解析・時系列分析・データ同化

- [1] J.-S. R. Jang: “ANFIS: Adaptive-Network-Based Fuzzy Inference System”, *IEEE Trans. Syst., Man, Cybern.*, vol. 23, no.3, pp.665-684, May/June 1993.
- [2] Y. Takane, Michael A. Hunter, “Constrained Principal Component Analysis: A Comprehensive Theory”, *AAECC* 12, 391-419 (2001).
- [3] 滝口哲也, 有木康雄, “ Kernel PCA を用いた残響下におけるロバスト特徴量抽出の検討, ” *情報処理学会論文誌*, Vol.47 , No.6 , pp. 1767-1773 , 2006 . <http://www.me.cs.scitec.kobe-u.ac.jp/~takigu/pdf/2005/kpca.pdf>
- [4] Toshikazu Nakamura, Yoshihide Sekimoto, Ryosuke Shibasaki, “Estimation of People Flow in a City Using Particle Filter with Person Trip Survey, Building Data and Traffic Count”, *CUPUM 2013*, July 2013.
- [5] William Lahoz, Boris Khattatov, Richard Menard, “Data Assimilation – Making Sense of Observations”, Springer-Verlag Berlin Heidelberg 2010.

H. GLAD 法, TBIR

- [1] Jacob Whitehill, Paul Ruvolo, Tingfan Wu, Jacob Bergsma, and Javier Movellan, “Whose Vote Should Count More:Optimal Integration of Labels from Labelers of Unknown

- Expertise”, <http://mplab.ucsd.edu/~jake/OptimalLabeling.pdf>
- [2] B. Zhong, et al., “Visual Tracking via Weakly Supervised Learning from Multiple Imperfect Oracles”, *CVPR2010*.
- [3] Peter Welinder, Steve Branson, Serge Belongie, Pietro Perona, “The Multidimensional Wisdom of Crowds”, *NIPS10*.
<http://www.vision.caltech.edu/visipedia/papers/WelinderEtalNIPS10.pdf>
- [4] L. Wu, R. Jin, and A. K. Jain, “Tag Completion for Image Retrieval”, *IEEE Trans. Pattern Analysis and Machine Intelligence (PAMI)*, vol.35, no.3, pp.716-727, Mar. 2013.

I. ITS 関連

- [1] K. Muto, K. Matsugatani, M. Egawa, and H. Nanba, “Omni-Directional Picture Database Using Probe Cars”, *12th World Congress on ITS*, 6-10 Nov. 2005.
- [2] Thaned SATIENNAM, “A Study on Pedestrian Accidents and Investigation of Pedestrian’s Unsafe Conditions in Khon Kaen Municipality, Thailand”, *Journal of the Eastern Asia Society for Transportation Studies*, Vol.5, October, 2003.
- [3] 関本義秀, 菊地英一, 佐藤圭一, 秋山祐樹 : パーソントリップデータを活用した人の流れの時空間的な詳細化, 第28回交通工学研究発表会論文集, pp.197-200, 2008.
- [4] <http://www.dft.gov.uk/pgr/roads/vehicles/intelligentspeedadaptation/>
- [5] 熊谷, 伏木, 横田, 君田, “特徴空間射影によるプローブカーデータのリアルタイム補完”, 情報処理学会論文誌, Vol.47, No.7, pp.2133-2140 (2006).
- [6] T. Fushiki, et al, “Traffic Condition Prediction by Use of Floating Cars”, *IPSJ Journal* Vol. 43 No. 12, pp. 3801-3808, Dec. 2002.
- [7] M. Kumagai, et al, “Efficient Forecast Process for Nationwide Traffic Information Services”, *Technical Report Of IEICE ITS2004-20(2004-09)*
- [8] T. Fushiki, et al, “Traffic Condition Prediction by Use of Floating Cars”, *IPSJ Journal* Vol. 43 No. 12, pp. 3801-3808, Dec. 2002.

J. その他

- [1] 北, 津田, 獅々堀, “情報検索アルゴリズム”, 共立出版, 2002.
- [2] William H. Press, Saul A. Teukolsky, William T. Vetterling, Brian P. Flannery, “NUMERICAL RECIPES The Art of Scientific Computing Third Edition”, CAMBRIDGE UNIVERSITY PRESS, 2007.